Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S21 5	23	(reverse near5 (hash\$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S21 4	59	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/23 10:14
S21 3	29	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S21 2	22	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S21 1	20	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S21 0	19	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 9	60	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 8	19	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14

			<u> </u>			
S20 7	67	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 6	32	(((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 5	35	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
\$20 4	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 3	49	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S20 2	122	S199 or S200 or S201	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 1	13	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S20 0	63	(((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S19 9	59	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/23 10:14

	1	T*************************************	Ţ	1	1	1
S19 8	2	"7032096".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S19 7	13	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision)) and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S19 6	298	((partial or portion) near3 key) and(hash\$3 near3 (conflict\$3 or collision))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S19 5	63	(((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S19 4	· 13	(partial adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/23 10:14
S19 3	59	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/23 10:14
S19 2	1	"6493813".pn. and (stor\$3 near5 key)	USPAT	ADJ	ON	2007/05/23 10:14
S19 1	1	"6493813 <sup>°</sup> '.pn.	USPAT	ADJ	ON	2007/05/23 10:14
S19 0	3	"6493813"	USPAT	ADJ	ON	2007/05/23 10:14
S18 9	1	"20020016806"	US-PGPUB	ADJ	ON	2007/05/23 10:14
S18 8	0	2002/0016806	US-PGPUB	ADJ	ON	2007/05/23 10:14
S18 7	. 6	09/672754	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14

	·		.,	,		
S18 6	67	(hash adj3 value) near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
<b>518</b> 5	353	hash near10 (send\$3 or sent or forward\$3 or trasmit\$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S18 4	1	"20020016806"	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S18 3	2	"6675163".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S18 2	2	(benefit or advantage) with (revers\$3 near5 hash\$4 near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S18 1	10	09/210,222	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S18 0	1	partial with (hash or value) with key with reverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 9	5	(revers\$3 and hash\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 8	23	(reverse near5 (hash\$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14

				,	1	1
S17 7	14	(reverse near5 hash\$3) with (key near5 hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/05/23 10:14
S17 6	2	reverse adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 5	0	reverse adj5 function adj5 partail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 4	0	reverse adj5 hash\$3 adj5 function adj5 part	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 3	0	reverse adj5 hash\$3 adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 2	29	reverse adj3 hash\$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 1	3	(Fibonacci and Galois) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S17 0	1	(Fibonacci and Galois) with (LFSR) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S16 9	8	(compar\$3 adj4 key) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14

S16 8	1	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (benefit or advantage)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 7	0	(compar\$3 near5 partial near5 key) with (collision or conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S16 6	. 22	(compar\$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S16 5	6	(compar\$3 adj4 key) and (compar\$3 adj4 hash) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 4	275	(compar\$3 adj4 key) and (compar\$3 adj4 hash)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 3	8	((content address\$4 memory) or CAM) with hash\$3 with (key near4 portion)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 2	9	((content address\$4 memory) or CAM) with hash\$3 with key with portion	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 1	0	((content address\$4 memory) or CAM) with hash\$3 with key with half	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S16 0	0	((content address\$4 memory) or CAM) with hash\$3 with key with split	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 9	0	((content address\$4 memory) or CAM) with hash\$3 with key with part	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 8	0	((content address\$4 memory) or CAM) with hash\$3 with key with partial	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 7	49	((content address\$4 memory) or CAM) with hash\$3 with key	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 6	342	((content address\$4 memory) or CAM) with hash\$3	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 5	6	S154 and ((partial or part) adj3 key)	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14
S15 4	444	370/395.32	US-PGPUB; USPAT	ADJ	ON	2007/05/23 10:14

	·	1	· · · · · · · · · · · · · · · · · · ·	Ţ	<del></del>	
S15 3	47	(Fibonacci and Galois) with (LFSR)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S15 2	72	(Fibonacci and Galois) with (LFSR or shift register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S15 1	141	(Fibonacci with (LFSR or shift register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S15 0	27	(Fibonacci same hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 9	2	(Galois and Fibonacci and hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 8	85	(Galois and Fibonacci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 7	0	(Galois and Fibonacci) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 6	1	"20020152389"	US-PGPUB	ADJ	ON	2007/05/23 10:14
S14 5	0	2002/0152389	US-PGPUB	ADJ	ON	2007/05/23 10:14
S14 4	1	"6,324,636".pn.	USPAT	ADJ	ON	2007/05/23 10:14

		· · · · · · · · · · · · · · · · · · ·			1	
S14 3	1	S141 and (hash\$ with (part adj4 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 2	3	S141 and (hash\$ with key with partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S14 1	7136	(CISCO TECHNOLOGY).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 9	32	(((part or partial) adj3 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 8	63	(((part or partial) near6 key) with hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 7	727	(((part or partial) near6 key) and hash\$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 6	6	711/216 and ((part adj5 hash\$3) near15 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 5	35	711/216 and (part adj5 hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14

	·					
S13 4	19	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 3	1	711/216 and (part adj3 key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 2	3	((part or partial) and key and hash\$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 1	2479	((part or partial) and key).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S13 0	59	(part adj3 key\$1) with (hash\$3 adj6 (function\$1 or table\$1 or value\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2007/05/23 10:14
S12 9	68	(part adj3 key) with (hash\$3 adj6 (function or table or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 8	141	(part adj3 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 7	9	S123 and (key and hash\$3 and partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14

S12 6	24	S123 and (key and hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 5	3	S123 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 4	2	S123 and (partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 3	60	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 2	20	(partial adj3 key) near15 hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 1	15	S120 not S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S12 0	19	711/216 and (partial with hash\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14
S11 9	9	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:14

· · · · · ·			1			
S11 8	1	711/216 and (partial with key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/05/23 10:14
S14 0	631	711/216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 10:24
S21 8	0	partial key and 711/216.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 11:04
S21 6	154	(S118 S120 S123 S124 S125 S135 S138 S205 S209 S210 S119 S121 S122 S126 S127 S130 S132 S134 S136 S139 S142 S149 S150 S153 S155 S157 S162 S163 S165 S166 S169 S171 S172 S176 S177 S178 S179 S182 S186 S193 S194 S195 S197 S199 S200 S201 S203 S204 S206 S208 S211 S212 S213 S214 S215) and @pd>"20060105"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:04
S21 7	491	partial key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 11:05
S22 0	67	((subset or sub set) near6 key) with hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 11:09
S22 1	12	partial key with (half or majority)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/23 11:11